

Condition #	Well	Salt	Buffer	Precipitant	Additive
1	A1	0.21 M Sodium Acetate	0.1 M Sodium Citrate: HCl, pH 4.5	48 % (v/v) PEG 400	1.12 % (v/v) Glycerol
2	A2	0.12 M Potassium Chloride	0.1 M Sodium Acetate: HCl, pH 5.5	32 % (v/v) PEG 400	
3	A3	0.23 M Sodium Malonate	0.1 M Sodium Acetate: HCl, pH 5.5	46 % (v/v) PEG 400	
4	A4	0.29 M Magnesium Acetate	0.1 M ADA: NaOH, pH 6.5	42 % (v/v) PEG 400	
5	A5	0.18 M Sodium Acetate	0.1 M HEPES: NaOH, pH 7.5	45 % (v/v) PEG 400	0.45 M TMAO
6	A6	0.29 M Lithium Nitrate	0.1 M Tris: HCl, pH 8.5	28 % (v/v) PEG 400	
7	A7	0.17 M Magnesium Chloride	0.1 M CAPSO: NaOH, pH 9.5	36 % (v/v) PEG 400	
8	A8	0.12 M Magnesium Sulfate		36 % (v/v) PEG 400	3.67 % (v/v) Glycerol
9	A9	0.17 M Ammonium Sulfate		47 % (v/v) PEG 400	
10	A10	0.22 M Sodium Malonate		41 % (v/v) PEG 400	
11	A11	0.04 M Sodium Sulfate		31 % (v/v) PEG 400	
12	A12	0.24 M Sodium Sulfate		32 % (v/v) PEG 400	
13	B1		0.1 M Sodium Citrate: HCl, pH 4.5	30 % (v/v) PEG 550 MME	3.22 % (v/v) Glycerol
14	B2		0.1 M Sodium Acetate: HCl, pH 5.5	37 % (v/v) PEG 550 MME	
15	B3	0.2 M Calcium Chloride	0.1 M Sodium Acetate: HCl, pH 5.5	25 % (v/v) PEG 550 MME	
16	B4	0.17 M Magnesium Sulfate	0.1 M ADA: NaOH, pH 6.5	33 % (v/v) PEG 550 MME	
17	B5	0.14 M Sodium Bromide	0.1 M ADA: NaOH, pH 6.5	38 % (v/v) PEG 550 MME	
18	B6	0.1 M Calcium Chloride	0.1 M HEPES: NaOH, pH 7.5	39 % (v/v) PEG 550 MME	
19	B7	0.22 M Ammonium Nitrate	0.1 M Tris: HCl, pH 8.5	34 % (v/v) PEG 550 MME	
20	B8	0.06 M Lithium Chloride	0.1 M CAPSO: NaOH, pH 9.5	23 % (v/v) PEG 550 MME	
21	B9	0.29 M Potassium Hydrogen Phosphate		29 % (v/v) PEG 550 MME	
22	B10	0.28 M Sodium Bromide		23 % (v/v) PEG 550 MME	
23	B11			22 % (v/v) PEG 550 MME	
24	B12	0.2 M Calcium Chloride		30 % (v/v) PEG 550 MME	
25	C1	0.22 M Sodium Malonate		32 % (v/v) PEG 550 MME	
26	C2	0.16 M Magnesium Acetate		38 % (v/v) PEG 550 MME	
27	C3	0.25 M Sodium Acetate		33 % (v/v) PEG 550 MME	
28	C4	0.19 M Potassium Chloride	0.1 M: HCl, pH 4.5	25 % (w/v) PEG 1000	
29	C5	0.19 M Ammonium Nitrate	0.1 M Sodium Citrate: HCl, pH 4.5	35 % (w/v) PEG 1000	
30	C6	0.14 M Ammonium Nitrate	0.1 M Sodium Acetate: HCl, pH 5.5	27 % (w/v) PEG 1000	
31	C7		0.1 M ADA: NaOH, pH 6.5	34 % (w/v) PEG 1000	
32	C8	0.2 M Ammonium Nitrate	0.1 M HEPES: NaOH, pH 7.5	20 % (w/v) PEG 1000	
33	C9	0.1 M Sodium Malonate	0.1 M HEPES: NaOH, pH 7.5	28 % (w/v) PEG 1000	
34	C10		0.1 M Tris: HCl, pH 8.5	22 % (w/v) PEG 1000	
35	C11		0.1 M Tris: HCl, pH 8.5	33 % (w/v) PEG 1000	
36	C12	0.18 M Potassium Chloride	0.1 M CAPSO: NaOH, pH 9.5	35 % (w/v) PEG 1000	
37	D1	0.29 M Lithium Chloride	0.1 M CAPSO: NaOH, pH 9.5	28 % (w/v) PEG 1000	
38	D2	0.24 M Lithium Nitrate		19 % (w/v) PEG 1000	
39	D3	0.27 M Ammonium Sulfate		33 % (w/v) PEG 1000	
40	D4	0.21 M Sodium Bromide		29 % (w/v) PEG 1000	3.8 % (v/v) Glycerol
41	D5			32 % (w/v) PEG 1000	2.35 % (v/v) Glycerol
42	D6	0.18 M Potassium Chloride		35 % (w/v) PEG 1000	4.16 % (v/v) Glycerol
43	D7	0.02 M Zinc Acetate		36 % (w/v) PEG 1000	
44	D8	2 M Ammonium Sulfate			
45	D9		0.1 M Sodium Citrate: HCl, pH 4.5	34 % (w/v) PEG 2000 MME	0.54 M TMAO
46	D10		0.1 M Sodium Citrate: HCl, pH 4.5	28 % (w/v) PEG 2000 MME	
47	D11	0.02 M Zinc Acetate	0.1 M Sodium Citrate: HCl, pH 4.5	26 % (w/v) PEG 2000 MME	
48	D12	0.1 M Sodium Acetate	0.1 M Sodium Acetate: HCl, pH 5.5	23 % (w/v) PEG 2000 MME	
49	E1	0.15 M Sodium Nitrate	0.1 M Sodium Acetate: HCl, pH 5.5	29 % (w/v) PEG 2000 MME	
50	E2		0.1 M Sodium Acetate: HCl, pH 5.5	28 % (w/v) PEG 2000 MME	
51	E3	0.13 M Sodium Sulfate	0.1 M ADA: NaOH, pH 6.5	26 % (w/v) PEG 2000 MME	
52	E4		0.1 M ADA: NaOH, pH 6.5	18 % (w/v) PEG 2000 MME	
53	E5	0.29 M Lithium Chloride	0.1 M HEPES: NaOH, pH 7.5	29 % (w/v) PEG 2000 MME	
54	E6	0.28 M Lithium Nitrate	0.1 M Tris: HCl, pH 8.5	17 % (w/v) PEG 2000 MME	
55	E7	0.02 M Zinc Acetate	0.1 M ADA: NaOH, pH 6.5	34 % (w/v) PEG 2000 MME	
56	E8		0.1 M CAPSO: NaOH, pH 9.5	29 % (w/v) PEG 2000 MME	
57	E9	0.12 M Lithium Sulfate	0.1 M CAPSO: NaOH, pH 9.5	17 % (w/v) PEG 2000 MME	
58	E10	0.27 M Magnesium Sulfate		18 % (w/v) PEG 2000 MME	
59	E11	0.2 M Magnesium Chloride		22 % (w/v) PEG 2000 MME	
60	E12	0.21 M Ammonium Sulfate		31 % (w/v) PEG 2000 MME	
61	F1	0.17 M Magnesium Chloride		29 % (w/v) PEG 2000 MME	
62	F2	0.11 M Calcium Chloride		26 % (w/v) PEG 2000 MME	
63	F3	0.16 M Magnesium Chloride		27 % (w/v) PEG 2000 MME	
64	F4	0.23 M Sodium Acetate		30 % (w/v) PEG 2000 MME	
65	F5	0.13 M Sodium Acetate		27 % (w/v) PEG 2000 MME	
66	F6	0.24 M Magnesium Chloride		33 % (w/v) PEG 2000 MME	
67	F7		0.1 M Sodium Citrate: HCl, pH 4.5	16 % (w/v) PEG 4000	
68	F8	0.21 M Magnesium Chloride	0.1 M Sodium Citrate: HCl, pH 4.5	14 % (w/v) PEG 4000	
69	F9	0.12 M Ammonium Nitrate	0.1 M Sodium Acetate: HCl, pH 5.5	16 % (w/v) PEG 4000	
70	F10		0.1 M Sodium Acetate: HCl, pH 5.5	20 % (w/v) PEG 4000	
71	F11		0.1 M Sodium Acetate: HCl, pH 5.5	16 % (w/v) PEG 4000	0.87 M TMAO
72	F12	0.2 M Magnesium Chloride	0.1 M Sodium Acetate: HCl, pH 5.5	20 % (w/v) PEG 4000	
73	G1	0.29 M Sodium Acetate	0.1 M ADA: NaOH, pH 6.5	13 % (w/v) PEG 4000	
74	G2	0.05 M Lithium Nitrate	0.1 M ADA: NaOH, pH 6.5	19 % (w/v) PEG 4000	
75	G3	0.02 M Zinc Acetate	0.1 M ADA: NaOH, pH 6.5	16 % (w/v) PEG 4000	
76	G4	0.27 M Ammonium Nitrate	0.1 M HEPES: NaOH, pH 7.5	17 % (w/v) PEG 4000	
77	G5	0.15 M Ammonium Nitrate	0.1 M HEPES: NaOH, pH 7.5	13 % (w/v) PEG 4000	0.42 M TMAO
78	G6	0.11 M Lithium Sulfate	0.1 M Tris: HCl, pH 8.5	13 % (w/v) PEG 4000	1.67 % (v/v) Glycerol
79	G7	0.24 M Lithium Acetate	0.1 M Tris: HCl, pH 8.5	12 % (w/v) PEG 4000	
80	G8		0.1 M Tris: HCl, pH 8.5	21 % (w/v) PEG 4000	
81	G9	0.27 M Potassium Hydrogen Phosphate Dibasic	0.1 M Tris: HCl, pH 8.5	18 % (w/v) PEG 4000	
82	G10	0.2 M Sodium Sulfate	0.1 M CAPSO: NaOH, pH 9.5	14 % (w/v) PEG 4000	
83	G11		0.1 M CAPSO: NaOH, pH 9.5	20 % (w/v) PEG 4000	
84	G12	0.28 M Sodium Bromide		23 % (w/v) PEG 4000	
85	H1	0.21 M Magnesium Chloride		13 % (w/v) PEG 4000	1.37 % (v/v) Glycerol
86	H2	0.23 M Potassium Thiocyanate		20 % (w/v) PEG 4000	1.11 % (v/v) Glycerol
87	H3	0.22 M Magnesium Sulfate	0.1 M Sodium Citrate: HCl, pH 4.5	18 % (w/v) PEG 5000 MME	
88	H4	0.25 M Lithium Nitrate	0.1 M Sodium Acetate: HCl, pH 5.5	17 % (w/v) PEG 5000 MME	4.57 % (v/v) Glycerol
89	H5	0.22 M Sodium Sulfate	0.1 M Sodium Acetate: HCl, pH 5.5	18 % (w/v) PEG 5000 MME	0.47 M TMAO
90	H6	0.08 M Lithium Sulfate	0.1 M ADA: NaOH, pH 6.5	20 % (w/v) PEG 5000 MME	
91	H7	0.18 M Ammonium Sulfate	0.1 M HEPES: NaOH, pH 7.5	12 % (w/v) PEG 5000 MME	
92	H8	0.2 M Sodium Sulfate	0.1 M Tris: HCl, pH 8.5	20 % (w/v) PEG 5000 MME	
93	H9	0.15 M Lithium Nitrate	0.1 M CAPSO: NaOH, pH 9.5	15 % (w/v) PEG 5000 MME	
94	H10	0.05 M Calcium Chloride		13 % (w/v) PEG 5000 MME	
95	H11	0.02 M Zinc Acetate		14 % (w/v) PEG 5000 MME	
96	H12			16 % (w/v) PEG 5000 MME	